




RING

東光凡而工業股份有限公司

產 品 牌 價

產 品 牌 價

 CNS國家認證

 給水系統

 空調系統

 消防系統

銅 閥



01 東光401
砲金銅非昇桿閘閥
200W.O.G



尺寸	牌價
3/8"	630
1/2"	630
3/4"	840
1"	1,140
1-1/4"	1,660
1-1/2"	1,980
2"	2,930
2-1/2"	5,650
3"	8,230
4"	13,850

02 東光408
砲金銅昇桿式閘閥
300W.O.G



尺寸	牌價
1/2"	1,280
3/4"	1,810
1"	2,640
1-1/4"	4,030
1-1/2"	4,920
2"	7,980
2-1/2"	10,940
3"	15,260

03 東光440
砲金銅昇桿式閘閥
300W.O.G



尺寸	牌價
1/2"	1,530
3/4"	2,150
1"	3,220
1-1/4"	4,280
1-1/2"	5,750
2"	9,490

04 東光450
砲金銅閘閥
300W.O.G



尺寸	牌價
1/2"	770
3/4"	1,010
1"	1,530
1-1/4"	2,000
1-1/2"	2,690
2"	4,280
2-1/2"	6,430
3"	8,250



05 東光313
砲金銅標準流量
球塞閥 600W.O.G



尺寸	牌價
3/8"	660
1/2"	710
3/4"	980
1"	1,370
1-1/4"	1,860
1-1/2"	2,400
2"	3,750
2-1/2"	8,720
3"	12,050

06 東光326
砲金銅橫式逆止閥
200W.O.G



尺寸	牌價
1/2"	530
3/4"	700
1"	970
1-1/4"	1,290
1-1/2"	1,720
2"	2,470
2-1/2"	5,040
3"	7,090
4"	10,990

07 東光240
砲金銅Y型過濾器
300W.O.G



尺寸	牌價
1/2"	800
3/4"	1,190
1"	1,710
1-1/4"	2,750
1-1/2"	3,520
2"	5,650
2-1/2"	8,360
3"	12,400

08 東光173A
砲金銅緩衝
逆止閥 250C.W.P



尺寸	牌價
1/2"	650
3/4"	830
1"	1,060
1-1/4"	1,340
1-1/2"	1,870
2"	2,700
2-1/2"	6,640
3"	8,320

產 品 牌 價



CNS國家認證



給水系統



空調系統



消防系統

銅 閥




01

東光303

砲金銅昇桿球型閥
200W.O.G



尺寸	牌價
1/2"	600
3/4"	770
1"	1,190
1-1/4"	1,860
1-1/2"	2,480
2"	4,130



02

東光404R

砲金銅球型墊片閥
300W.O.G



尺寸	牌價
1/2"	1,040
3/4"	1,560
1"	2,350
1-1/4"	3,380
1-1/2"	4,940
2"	8,080
2-1/2"	13,680
3"	19,330



03

東光329

砲金銅Y型逆止閥
300W.O.G



尺寸	牌價
1/2"	1,010
3/4"	1,310
1"	1,920
1-1/4"	2,690
1-1/2"	3,370
2"	5,360



04

東光325

砲金銅水錘吸收器
螺紋口 150PSI



尺寸	牌價
1/2"	1,540
3/4"	1,820
1"	3,630
1-1/4"	5,290
1-1/2"	7,590
2"	10,010



05

東光409

黃銅非昇桿閘閥
200W.O.G



尺寸	牌價
1/2"	450
3/4"	630
1"	880
1-1/4"	1,280
1-1/2"	1,560
2"	2,360
2-1/2"	4,610
3"	6,740
4"	11,770



06

東光328

黃銅橫式逆止閥
200W.O.G



尺寸	牌價
1/2"	430
3/4"	580
1"	810
1-1/4"	1,140
1-1/2"	1,420
2"	2,060
2-1/2"	4,260
3"	5,750
4"	9,070

產 品 牌 價

 CNS國家認證

 給水系統

 空調系統

 消防系統

鑄 鐵 閥



01 東光071
鑄鐵非昇桿閘閥
10K



尺寸	牌價
2"	9,140
2-1/2"	10,430
3"	13,750
4"	18,330
5"	26,460
6"	35,160
8"	54,160
10"	92,690
12"	134,870



02 東光073
鑄鐵昇桿式閘閥
10K



尺寸	牌價
2"	10,500
2-1/2"	12,080
3"	15,480
4"	20,970
5"	27,940
6"	35,950
8"	56,380
10"	92,880
12"	130,850



03 東光027
鑄鐵雙瓣式逆止閥
10K



尺寸	牌價
2"	4,380
2-1/2"	4,570
3"	5,760
4"	7,200
5"	9,240
6"	12,260
8"	20,960
10"	35,740
12"	52,070



04 東光065
鑄鐵橫式逆止閥
10K



尺寸	牌價
2"	4,220
2-1/2"	5,500
3"	6,080
4"	10,240
5"	13,970
6"	19,960
8"	34,830
10"	48,200



05 東光066
鑄鐵緩衝式
逆止閥 10K



尺寸	牌價
2"	6,490
2-1/2"	9,290
3"	11,660
4"	14,270
5"	21,760
6"	29,140
8"	42,860
10"	70,050
12"	103,400



06 東光078
鑄鐵Y型過濾器
10K



尺寸	牌價
2"	4,880
2-1/2"	6,820
3"	8,270
4"	12,810
5"	18,800
6"	26,840
8"	44,490
10"	74,590
12"	104,940



07 東光064
鑄鐵球型閥 10K



尺寸	牌價
1-1/2"	7,030
2"	8,310
2-1/2"	10,480
3"	12,290
4"	16,430
5"	25,230
6"	32,670
8"	53,010
10"	115,600



08 東光032
鑄鐵拉柄式底閥
10K



尺寸	牌價
2"	8,860
2-1/2"	10,560
3"	12,500
4"	16,110
5"	21,010
6"	28,710
8"	52,840

產品牌價



CNS國家認證



給水系統



空調系統



消防系統

延性鑄鐵閥



01

東光801

延性鑄鐵昇桿式
閘閥 16K



尺寸	牌價
2"	16,590
2-1/2"	20,550
3"	26,290
4"	33,760
5"	48,490
6"	62,010
8"	94,120
10"	127,120
12"	235,510



02

東光802

延性鑄鐵橫式
逆止閥 16K



尺寸	牌價
2"	16,320
2-1/2"	18,890
3"	23,490
4"	27,700
5"	37,620
6"	47,690
8"	77,030
10"	110,080
12"	161,090



03

東光827

延性鑄鐵雙瓣式
逆止閥 16K



尺寸	牌價
2"	7,580
2-1/2"	8,560
3"	9,540
4"	12,840
5"	17,120
6"	23,240
8"	39,160
10"	50,120
12"	77,000



04

東光866

延性鑄鐵緩衝式
逆止閥 16K



尺寸	牌價
2"	15,900
2-1/2"	20,230
3"	25,430
4"	33,800
5"	44,500
6"	59,580
8"	112,960
10"	182,880
12"	325,300



05

東光803

延性鑄鐵Y型
過濾器 16K



尺寸	牌價
2"	7,250
2-1/2"	10,830
3"	13,410
4"	18,800
5"	28,150
6"	39,570
8"	58,280
10"	88,410
12"	124,960



06

東光832

延性鑄鐵拉柄式
底閥 16K



尺寸	牌價
2"	13,200
3"	18,700
4"	24,200
6"	42,900
8"	79,200

產 品 牌 價

 CNS國家認證

 給水系統

 空調系統

 消防系統

不銹鋼閥-螺紋規格

如使用於特殊環境(酸鹼流體、沿海地區等)·須另外以實售價產品提供。



01 東光901 不銹鋼閘閥 300PSI



尺寸	牌價
1/2"	3,420
3/4"	4,120
1"	5,260
1-1/4"	6,870
1-1/2"	9,350
2"	12,330
2-1/2"	34,800

02 東光903 不銹鋼球型閥 300PSI



尺寸	牌價
1/2"	3,400
3/4"	4,120
1"	5,330
1-1/4"	7,020
1-1/2"	9,900
2"	12,350

03 東光926 不銹鋼橫式逆止閥 300PSI



尺寸	牌價
1/2"	3,350
3/4"	3,890
1"	4,740
1-1/4"	6,560
1-1/2"	8,260
2"	10,260

04 東光973 不銹鋼緩衝式逆止閥 螺紋口 300PSI



尺寸	牌價
1/2"	3,900
3/4"	4,500
1"	5,280
1-1/4"	7,690
1-1/2"	9,600
2"	13,800
2-1/2"	26,400
3"	32,400



05 東光940 不銹鋼Y型過濾器 螺紋口 800PSI



尺寸	牌價
1/2"	2,490
3/4"	3,000
1"	4,120
1-1/4"	4,500
1-1/2"	6,230
2"	13,920

06 東光911 不銹鋼單片式 球塞閥 1000PSI



尺寸	牌價
1/4"	880
3/8"	920
1/2"	1,130
3/4"	1,410
1"	1,840
1-1/4"	2,670
1-1/2"	3,270
2"	4,650

07 東光921 不銹鋼二片式 球塞閥 1000PSI



尺寸	牌價
1/4"	1,530
3/8"	1,530
1/2"	1,620
3/4"	2,430
1"	2,980
1-1/4"	4,410
1-1/2"	6,050
2"	8,910
2-1/2"	20,430
3"	28,540

08 東光931 不銹鋼三片式 球塞閥 1000PSI



尺寸	牌價
1/4"	1,920
3/8"	1,920
1/2"	2,560
3/4"	3,170
1"	4,050
1-1/4"	5,420
1-1/2"	7,500
2"	11,420

產 品 牌 價



CNS國家認證



給水系統



空調系統



消防系統

不銹鋼閥-法蘭規格(10K)

如使用於特殊環境(酸鹼流體、沿海地區等)·須另外以實售價產品提供。



01 東光964 不銹鋼昇桿式 閘閥 10K



尺寸	牌價
1/2"	14,270
3/4"	14,560
1"	17,870
1-1/4"	21,270
1-1/2"	22,960
2"	31,840
2-1/2"	41,080
3"	55,760
4"	70,780
5"	92,040
6"	127,740
8"	305,500
10"	429,000
12"	643,500

02 東光928 不銹鋼橫式 逆止閥 10K



尺寸	牌價
2"	28,760
2-1/2"	41,250
3"	45,110
4"	64,990
5"	91,860
6"	121,980
8"	236,600
10"	439,400
12"	699,400

03 東光966 不銹鋼緩衝式 逆止閥 10K



尺寸	牌價
2"	49,350
2-1/2"	56,010
3"	69,340
4"	92,010
5"	117,340
6"	153,340
8"	226,670
10"	286,670
12"	373,350

04 東光927 不銹鋼雙瓣式 逆止閥 10K



尺寸	牌價
2"	11,870
2-1/2"	12,490
3"	13,990
4"	19,940
5"	24,940
6"	34,350
8"	53,250
10"	88,500
12"	130,620



05 東光963 不銹鋼球型閥 10K



尺寸	牌價
2"	25,350
2-1/2"	36,000
3"	42,000
4"	60,000
5"	93,340
6"	133,350
8"	253,350
10"	360,000

06 東光954 不銹鋼球塞閥 10K



尺寸	牌價
1/2"	7,060
3/4"	7,540
1"	9,910
1-1/4"	12,940
1-1/2"	15,250
2"	20,530
2-1/2"	25,840
3"	35,520
4"	43,400
5"	114,310
6"	146,870
8"	291,200
10"	472,680
12"	782,340

07 東光978 不銹鋼Y型過濾器 10K



尺寸	牌價
2"	28,800
2-1/2"	38,070
3"	47,620
4"	60,060
5"	106,960
6"	118,790
8"	201,600
10"	397,200
12"	648,000

08 東光932 不銹鋼拉柄式 底閥 10K



尺寸	牌價
2"	33,230
2-1/2"	36,120
3"	45,500
4"	54,900
5"	70,790
6"	86,680
8"	144,460

產 品 牌 價



CNS國家認證



給水系統



空調系統



消防系統

不銹鋼閥-法蘭規格(16K)

如使用於特殊環境(酸鹼流體、沿海地區等)·須另外以實售價產品提供。



01

東光964

不銹鋼昇桿式
閘閥 16K



尺寸	牌價
2"	48,750
2-1/2"	62,400
3"	85,150
4"	107,900
5"	140,400
6"	195,000
8"	429,000

02

東光928

不銹鋼橫式
逆止閥 16K



尺寸	牌價
2"	47,970
2-1/2"	68,770
3"	75,140
4"	108,290
5"	153,140
6"	203,320
8"	353,600

03

東光927

不銹鋼雙瓣式
逆止閥 16K



尺寸	牌價
2"	22,500
2-1/2"	23,750
3"	26,750
4"	38,000
5"	47,500
6"	65,630
8"	101,500
10"	168,750
12"	250,000



05

東光966

不銹鋼緩衝式
逆止閥 16K



尺寸	牌價
2"	82,200
2-1/2"	93,600
3"	115,800
4"	153,600
5"	195,600
6"	252,000
8"	378,000
10"	477,600
12"	624,000

06

東光978

不銹鋼Y型過濾器
16K



尺寸	牌價
2"	45,600
2-1/2"	60,600
3"	75,600
4"	95,400
5"	170,400
6"	189,600
8"	319,200

07

東光932

不銹鋼拉柄式
底閥 16K



尺寸	牌價
4"	101,400
6"	162,500

產 品 牌 價



CNS國家認證



給水系統



空調系統



消防系統

蝶 閥



01

東光090A
鑄鐵把手式蝶閥
DI閥盤 10K



尺寸	牌價
2"	4,280
2-1/2"	4,550
3"	4,920
4"	5,820
5"	7,200
6"	8,580

02

東光090B
鑄鐵齒輪式蝶閥
DI閥盤 10K



尺寸	牌價
2"	9,060
2-1/2"	9,200
3"	9,720
4"	10,570
5"	11,940
6"	13,070
8"	19,830
10"	27,020
12"	32,310

03

東光093A
鑄鐵把手式蝶閥
CF8閥盤 10K



尺寸	牌價
2"	4,880
2-1/2"	5,040
3"	6,010
4"	7,320
5"	9,290
6"	11,610

04

東光093B
鑄鐵齒輪式蝶閥
CF8閥盤 10K



尺寸	牌價
2"	9,340
2-1/2"	9,710
3"	10,820
4"	12,140
5"	13,970
6"	16,450
8"	26,510
10"	37,840
12"	53,390



05

東光893A
延性鑄鐵把手式蝶閥
CF8閥盤 16K



尺寸	牌價
2"	5,880
2-1/2"	6,600
3"	7,600
4"	9,180
5"	12,240
6"	15,900

06

東光893B
延性鑄鐵齒輪式蝶閥
CF8閥盤 16K



尺寸	牌價
2"	11,620
2-1/2"	12,840
3"	14,680
4"	15,900
5"	19,560
6"	23,850
8"	34,840
10"	46,460
12"	62,340
14"	105,600
16"	269,500

07

東光895A
延性鑄鐵把手式
偏心型蝶閥 16K



尺寸	牌價
2"	11,550
2-1/2"	12,650
3"	14,850
4"	17,600
5"	22,000
6"	30,800

08

東光895B
延性鑄鐵齒輪式
偏心型蝶閥 16K



尺寸	牌價
2"	18,700
2-1/2"	20,900
3"	23,100
4"	26,400
5"	30,800
6"	40,700
8"	55,000
10"	99,000
12"	121,000

產 品 牌 價



CNS國家認證



給水系統



空調系統



消防系統

蝶 閥

如使用於特殊環境(酸鹼流體、沿海地區等)·須另外以實售價產品提供。



01

白蝶611PL

不銹鋼把手式
蝶閥 10K



尺寸	牌價
2"	10,590
2-1/2"	12,050
3"	14,330
4"	18,000
5"	26,360
6"	31,550

02

白蝶611GH

不銹鋼齒輪式
蝶閥 10K



尺寸	牌價
2"	20,010
2-1/2"	21,680
3"	24,450
4"	28,610
5"	39,600
6"	45,000
8"	70,010

03

東光990B

不銹鋼齒輪式
蝶閥 10K



尺寸	牌價
10"	102,700
12"	134,400
14"	225,600
16"	296,400



04

東光995A

不銹鋼把手式偏心型
蝶閥 10K



尺寸	牌價
2"	21,480
2-1/2"	24,600
3"	29,160
4"	34,920
5"	46,560
6"	58,200

05

東光995B

不銹鋼齒輪式偏心型
蝶閥 10K



尺寸	牌價
2"	24,000
2-1/2"	30,360
3"	34,920
4"	40,800
5"	52,440
6"	69,840
8"	99,000
10"	175,200
12"	222,000

產品牌價



CNS國家認證



給水系統



空調系統



消防系統

其他閥

如使用於特殊環境(酸鹼流體、沿海地區等)·須另外以實售價產品提供。



01

東光925

不銹鋼水錘吸收器
螺紋口 150PSI



尺寸	牌價
1/2"	4,440
3/4"	5,880
1"	8,880
1-1/4"	17,760
1-1/2"	22,800
2"	31,680

02

東光945

不銹鋼水錘吸收器
法蘭口 10K



尺寸	牌價
2-1/2"	62,400
3"	110,400
4"	150,000

03

東光916

不銹鋼釋氣閥(大流量)
螺紋口 150PSI



尺寸	牌價
1/2"	20,400
3/4"	20,400
1"	21,600



04

東光835

延性鑄鐵偏心
柱塞閥 10K

尺寸	牌價
2"	26,400
2-1/2"	31,900
3"	37,400
4"	44,000
5"	61,600
6"	79,200
8"	92,400



05

東光860

延性鑄鐵彈性板
逆止閥 10K

尺寸	牌價
2"	15,400
2-1/2"	18,700
3"	22,000
4"	30,800
5"	41,800
6"	46,200
8"	66,000



新北市淡水區民生里民權路1之1號
No.1-1, Ming-chuan Rd., Ming-sheng Li, Tansui, New Taipei City, Taiwan
Tel +886-2-2809-7655 Fax +886-2-2809-3495

本公司對型錄所有產品規格及尺寸保有增刪之權利



2024.06 印製